

BERKOVICH, I.M., doktor med. nauk [deceased]; VOLOTOV, A.N., dots.; VALENTINOVICH, A.A., dots.; DOMBROVSKAYA, Yu.F., prof.; KOSSYURA, M.B., kand. med.nauk; KIFER, Ye.L., kand. med. nauk; MASLOV, M.S., prof. [deceased]; POD"YAPOL'SKAYA, V.N., prof.; SEMENOVA, N.Ye., zasl. vrach RSFSR; KHOKHOL, Ye.N., prof.; ZHUKOVSKIY, M.A., red.; KOROLEV, A.V., tekhn. red.

[Multivolume manual on pediatrics] Mnogotomnoe rukovodstvo po pediatrii. Moskva, Medgiz. Vol.4. [Diseases of the digestive tract. Diseases of the liver and skin. Vitamins and vitamin deficiency diseases] Zabolevaniia pishchevritel'nogo trakta. Bolezni pochek i kozhi. Vitaminy i bolezni vitaminnoi nedostatochnosti. Red. toma E.N.Khokhol. 1963. 721 p. (MIRA 17:2)

1. Deystvitel'nyy chlen AMN SSSR (for Dombrovskaya, Maslov).
2. Chlen-korrespondent AMN SSSR (for Pod"yapol'skaya, Khokhol).

*

TUR, A.F., prof., zaslužennyy deyatel' nauki, otv.red.(Leningrad);
 VOLOTOV, A.N., dotsent, red. (Leningrad); KVASNAYA, L.G., dotsent,
 red.; KOTIKOV, Yu.A., prof., red.; LIBOV, A.L., prof., red. (Leningrad);
 MALYSHEVA-MAKSIMENKOVA, Ye.S., dotsent, red.; MIRONOVICH, V.K.,
 dotsent, red. (Leningrad); TERNOVSKIY, S.D., prof., red. (Moskva);
 TITOV, A.I., kand.med.nauk, red. (Leningrad); NATAROVA, N.V., red.;
 LIVSHITS, D.A., tekhn.red.

[Proceedings of the Seventh All-Union Congress of Pediatricians in
 Leningrad, 1957; abridged stenographic report] Trudy VII Vsesoyuzno-
 go s"ezda detskikh vrachei; sokrashchennaya stenogramma. Otv.red.
 A.F.Tur. Leningrad, Gos.izd-vo med.lit-ry, Leningr.otd-nie, 1959.
 654 p. (MIRA 13:5)

1. Vsesoyuznyy s"yezd detskikh vrachey, 7th, Leningrad, 1957.
 2. Deyatvitel'nyy chlen Akademii meditsinskikh nauk SSSR (for Tur).
 3. Chlen-korrespondent Akademii meditsinskikh nauk (for Ternovskiy).
- (PEDIATRICS--CONGRESSES)

TUR, A.F., prof., red.; VALENTINOVICH, A.A., red.; VOLOTOV, A.N., red.;
GONCHAROV, P.P.; red.; KLIORIN, A.I., red.; SHUTOVA, N.T., red.;
LIBOV, A.L., red.; KHARASH, G.A., tekhn. red.

[Problems of pediatrics] Problemy pediatrii. Leningrad, Medgiz,
1963. 358 p. (MIRA 16:3)

1. Deystvitel'nyy chlen Akademii meditsinskikh nauk SSSR (for
Tur).

(PEDIATRICS)

VOLOTOV, A.N., kand.med.nauk

Effect of phthivazid on the course of the tuberculous process in
children. Probl.tub. 36 no.6:28-34 '58 (MIRA 11:10)

1. Iz kafedry pediatrii (nach. - deystvitel'nyy chlen AMN SSSR,
zaslyzhennyy deyatel' nauki prof. M.S. Maslov) Voenno-meditsinskoy
ordena Lenina akademii imeni S.M. Kirova:

(TUBERCULOSIS, PULMONARY, in inf. & child.

primary, ther., N-(4-hydroxy-3-methoxy)benzal isonicotinic
acid hydrazone (Rus))

VOLOTOV, A.N.; RUDAYEV, Ya.N.

X tekhnike perelivaniya krovi detyam. [On the Technique of Blood
Transfusion for Children] Vopr.pediat. 19 no.1:60-62 1951.
(CIML 20:7)

1. Department of Pediatrics, Military Medical Academy imeni S.M. Kirov (Head of Department--Honored Worker in Science Prof. M.S. Maslov, Active Member of the Academy of Medical Sciences).
2. Authors' address: Children's Clinic of the Military Medical Academy, 6 Botkinskaya Ulitsa, Leningrad.

VOLOTOV, A.N., kandidat meditsinskikh nauk

Reactivity changes in children with a primary tuberculous complex during streptomycin and PAS therapy. Probl.tub. no.3:8-13 My-Je '55.
(MLRA 8:8)

1. Iz kafedry pediatrii (nach.-deystvitel'nyy chlen AMN SSSR, za-sluzhennyy deyatel' nauki prof. M.S.Naslov) Voyenno-meditsinskoy akademii imeni S.M.Kirova.

(TUBERCULOSIS, in infant and child,

ther., streptomycin & PAS, eff. on autonomic NS reactivity)

(AUTONOMIC NERVOUS SYSTEM, in various diseases,

tuberc., eff. of streptomycin & PAS ther., in inf. & child.)

(STREPTOMYCIN, ther. use,

tuberc., eff. on autonomic NS reactivity in inf. & child.)

(PARA-AMINOSALICYLIC ACID, ther. use,

tuberc., eff. on autonomic NS reactivity in inf. & child.)

18

ca

The synthesis of ammonia-urea liquor in a large-scale continuous laboratory apparatus. H. H. A. Yakovlev, V. R. Leman and A. N. Popova. *J. Chem. Ind. (U. S. S. R.)* 14, 707-10(1937); cf. C. A. 31, 6619¹.— Conversion of NH_3 carbamate to urea is 60-85% when it is heated with 100% excess of NH_3 at 165-75° and 170-200 atm. for 1.25-1.5 hrs. When the product of such treatment is mixed with 10-30 parts of H_2O , a stable soln. contg. 30-47% bound N is obtained. The presence of a large excess of NH_3 during the reaction decreases the continuation of metals and alloys by the mixt.

H. M. Leicester

[illegible]

LEVITSKIY, B.P.; SINYAGIN, S.A.; VOLOTKOVSKIY, A.A.; YAGOVNIK, V.V.

Review and bibliography. Izv. vyz. nauch. zav.; Ser. 1 razr.
7 no.6:133-139 Je '64. (SIRA 18:7)

1. L'vovskiy politekhnicheskii institut (for Levitskiy).
2. Moskovskiy geologorazvedochnyy institut im. S. Ordzhonikidze (for Sinyagin).
3. Inzhenerovskiy gornyy institut (for Volotkovskiy, Yagovnik).

SITAILO, V.M., Inzh.; VODNIKOVSKIY, S.A., doktor tekhn. nauk; LEVIN, S.T.,
kand. tekhn. nauk

Regularities of the settling of coal slurries in pyramidal and
radial thickeners. Izv. vys. ucheb. zav.; gor. zhur. 7 no.11:
184-192 '64. (MIRA 18:3)

1. Dnepropetrovskiy ordena Trudovogo Krasnogo Znameni gornyy
institut imeni Artyoma. Rekomendovana kafedroy obogashcheniya
poleznykh iskopayemykh.

FALDETEV, D.V.; MAMAYEV, K.N.; VOLOTKOVSKIY, V.S.

Transducer for measuring the weight of a load on conveyor
belt. Izv. tekhn. no.2:31-33 F '65.

(MIRA 18:6)

VOLOTOV, E. N.

"Carototype Phylogeny in Connection With the Role played by Linear Regressions." (p. 295)
by Delinin, N. P., and Volotov, E. N.

SO: Journal of General Biology. (Zhurnal Obshchego Biologii), 1940, Vol. I, No. 2

МОЛОТОВ, К.

Storage Plants

mixed sowing of yellow lupine for feed. folkh. prodzv. 12, No. 3, 1942

9. Monthly List of Russian Accessions, Library of Congress, June 1953, Uncl.

VOLODOV, K.

Lupine

Mixed sowin s of yellow lupine for food. Kolkh. prol'v., 12, no. 3, 1952.

9. Monthly List of Russian Accessions, Library of Congress, June 195²₃, Uncl.

VOLOTOV, M.M., inzhener; PRUSOV, V.V., inzhener.

The organisation of asphalt concrete plants. Avt.dor.18 no.6:14-15
0 '55. (Concrete plants) (MIRA 9:2)

VOLOTOV, Mikhail Mikhaylovich; PRUSOV, Vasvolod Vasil'yevich; IOOLKIN, V.N.,
redaktor; GALAKTIONOVA, Ye.N., tekhnicheskii redaktor

[Operation of S-243 automatic cement factories] Eksploatatsiia
avtomatizirovannykh tsementobetonnykh zavodov S-243. Moskva,
Nauchno-tekhn. izd-vo avtotransp. lit-ry. 1956. 55 p.
(Concrete plants) (MIRA 10:1)
(Automatic control)

VOLOTOV, YE. N.

FA76184

USSR/Medicine - Cells, Division
Medicine - Plants

Jun 1948

"Division of the Nuclei in the Lining Cells of the
Anthers of Poppies," Ye. N. Volotov, Inst of Cytol,
Histology, and Embryol, Acad Sci USSR, 3 pp

"Dok Ak Nauk SSSR" Vol IX, No 7

Volotov presents results of his research on division
of nuclei in lining cells, phenomenon directly
associated with accumulation of chromatin material.
Submitted Mar 1948.

76184

ELLIOTT, Fred Craig (1916-); VOLOTOV, Ye.N.[translator];
YEMEL'YANOVA, N.A.[translator]; LISOVSKAYA, O.V.
[translator]; ZHEBRAK, A.R., red.

[Plant breeding and cytogenetics] Seleksiia rastenii i
tsitogenetika. Pod red. i s predisl. A.R.Zhebraka. Mo-
skva, Izd-vo inostr. lit-ry, 1961. 447 p.

(MIRA 16:4)

(Plant breeding)

VOLOTOV, YE, N.

PA 78T38

USSR/Medicine - Chromosomes
Medicine - Plants

Jun 1948

"Differential Colorability of the Chromosomes in the
Nuclei of the Lining Cells in Poppies," Ye. N.
Volotov, Inst of Cytol, Histol, and Embryol, Acad Sci
USSR, 3 pp

"Dok Ak Nauk SSSR" Vol IX, No 8

Studies related to N. K. Kol'tsov and A. A. Prokof'-
yev's hypotheses on the difference between new
chromosomes and the old ones from which they origi-
nated. Submitted by Acad L. A. Orbeli 1 Apr 1948.

78T38

Determination of moisture by the carbide method. II. Gribunovskiy and N. Yulotova. *Novosti tekhniki* 1959, No. 11-12, 63. —The app. is made from a buret, the open end of which is sealed to the small reaction chamber provided with the glass stopper with the sealed-in reaction vessel for the introduction of the sample. Another opening in the side of the reaction chamber connects the chamber with a Hg flask and at the bottom of the chamber is another opening for washing of the app., which is closed with a rubber stopper. During the reaction, the C_2H_2 formed collects in the buret, forcing out the Hg. The results are calc. by the formula $X_{H_2O} = 0.101(A/B)K_1/K_2$, where A is the amt. of C_2H_2 formed, B wt. of sample in g., K_1 the coeff. for reducing to standard conditions and K_2 the yield of C_2H_2 on the CaC_2 . A. A. Polgorny

1ST AND 2ND ORDERS										PROCESSING AND PROPERTIES INDEX										3RD AND 4TH ORDERS									
<p>Apparatus for determination of carbon dioxide, II. Gribanovskii, N. Vokotova and N. A. Pavlova. <i>Nesovm Izdaniya</i> 1968, No. 11-12, 62. Construction details are described. The app. permits detn. with an accuracy of 0.0001 g. A. A. Pukhov</p>																													
<p>ASB-15A METALLURGICAL LITERATURE CLASSIFICATION</p>																													

BRIND, A. I., VASINA, E. N., VOLOTOVA, N. L.

Role of vitamin C in treatment of certain skin diseases. Vest.
venor. No. 6, Nov.-Dec. 50. p. 39-41

1. Of the Ukrainian Scientific-Research Skin-Venereological
Institute (Director — Prof. A. M. Krichovskiy).

CLUL 20, 3, March 1951

CA

12

Dry laboratory alcohol. M. Volotovskaya (Minsk Regional Lab. Dairy Ind.). *Molochkova* 1950-11, No. 6, 36(1950).—The "solid, dry alcohol" tablets usable for small burners in the lab. are satisfactory for such detns. of moisture as are done in the dairy industry, e.g. butter moisture.
G. M. Kozolapoff

VOLOTOVSKAYA, M.

33215. Metody Normirovaniya Zhira I Vlagi V Flaylenom Syre. Koloch.
Prom-St', 1949, Nol 10, c. 32-33

SO: Letopis' Zhrunal'nykh Statey, Vol. 45, Moskva, 1949

VOLOTOVSKAYA, M.A.

Alkaline complex of the Malyy massif. Mat. VSEGEI no. 21:22-38
'57. (MIRA 11:7)
(Russia, Northern--Rocks, Igneous)

SHCHUKIN, V.N.; KRYATOV, B.M.; VOLOTOVSKIY, A.G.

Relationship between kimberlites and traps. Trudy IAPAN SSSR.
Ser.geol. no.6:45-48 '61. (MIRA 14:9)

(Siberian Platform--Kimberlite)
(Siberian Platform--Rocks, Igneous)

BARAB-TARLE, M.Ye.; VOLOTSSENKO, P.V.

Semiautomatic machine used for precision machining of cylindrical parts. *Biul.tekh.-ekon.inform.* no.12:22-24 '58.


(MIRA 11:12)

(Lathes)

VOLOTSENKO, P.V., inzhener.

Standardisation of heavy-duty lathes. Standartizatsiia no.6:15-20
N-D '56. (MIRA 10:1)

(Lathes--Standards)



3(8)

SOV/11-59-3-10/17

AUTHORS: Volotovskaya, N.A., Kukhareno, A.A.

TITLE: Types of Carbonatite Deposits and Their Relation to
Masses of Ultrabasic-Alkaline Rock (O tipakh karbo-
natitovykh mestorozhdeniy i ikh svyazi s massivami
ul'traosnovnykh - shchelochnykh porod)

PERIODICAL: Izvestiya Akademii Nauk SSSR, Seriya Geologicheskaya,
1959, Nr 3, pp 110-112 (USSR)

ABSTRACT: The authors review the article with the above title,
published in the "Izvestiya Akademii nauk SSSR,
seriya geologicheskaya" (News of the AS USSR,
Geological Series), Nr 5, 1957, by L.S. Borodin.
In the first section the article provides the general
characteristics of carbonatites, predominantly from
African deposits. The second section explains both
the mechanism of forming complex masses of ultrabasic-
alkaline rock and the formation processes of carbona-
tites. These complex petrological problems were
treated on the basis of ultrabasic-alkaline masses of

Card 1/3

SOV/11-59-3-19/17

Types of Carbonatite Deposits and Their Relation to Masses of Ultrabasic-Alkaline Rock

of the Kola Peninsula and of those in Northern Siberia. Decisive objections are raised to Borodin's statements on the origins of alkaline rock, their interrelations with ultrabasites, genesis of rare-metal mineralization, etc. The statement by L.S. Borodin on the origin of alkaline rock as a result of the hypothetical process of "nephelinization" of pyroxenites is proven by the fact that independent melteigite-ijolite intrusions, known within the bounds of the Southern Kandalaksha strip of the lower-Paleozoic masses of ultrabasic-alkaline rock, do, in fact, exist. The same holds true for Borodin's statement regarding the metasomatic nature of perovskite and apatite in ultrabasic rock of masses under discussion. The authors conclude that much remains unclear regarding the origin of rare-metal deposits, genetically con-

Card 2/3

SOV/11-59-3-10/17

Types of Carbonatite Deposits and Their Relation to Masses of
Ultrabasic-Alkaline Rock

nected to magmatic complexes of ultrabasic-alkaline
rock.

SUBMITTED: November 16, 1957

Card 3/3

VOLOTOVSKAYA, N.A.; KUKHARENKO, A.A.

Types of carbonatite deposits and their relationships with
ultrabasic and basic rock massifs. Izv. AN SSSR. Ser. geol.
24 no.3:110-114 Mr '59. (MIRA 12:4)
(Rocks, Igneous) (Carbonates (Mineralogy))

VOLOTOVSKAYA, N.A.; IL'INSKIY, G.A.

Regarding L.S.Borodin's article "Perovskite formation in the
Vuoriyarvi massif." Geol. rud. mestorozh. no.1:113-114 Ja-F '61.
(MIRA 14:4)

(Vuoriyarvi region--Perovskite)

(Borodin, L.S.)

VOLOTOVSKAYA, N.A.

Igneous complex of ultrabasic, alkali, and carbonate rocks in the
Vuori-Yarvi massif. Zap. Vses..min. ob-va 87 no.3:290-303 '58.
(MIRA 11:10)

1. Severo-zapadnoye geologicheskoye upravleniye.
(Vuori-Yarvi region--Rocks, Igneous)

VOLOTOVSKAYA, N. A.

Borisov, D. A. and Volotovskaya, N. A. KYANITE
DEPOSITS OF HIGOVARA KARELIAN-FINNISH S. S. R.
Soviet Geol., 1941 (6) 82-86.—Schists of Mt. Chisovaya,
Loughi series, contain kyanite in commercial quantities.
These schists contain 15 to 25% and individual bori-
to 30 to 35% kyanite.

Kyanite deposits of Hioovara (Karelian Finnish S. S. R.). P. A. Borisov and N. A. Volkovskaya. *Sov. Geol.* 1961, No. 6, 82 ff; *Сов. Геол.* 1963, 1: 1654.
Schists of Mt. Chisavara, Leningrad region, contain kyanite in con. quantities. Three lenses contain 15-25%, and in dishedral horizons 30-35% kyanite. Michael Peisero

CA VOLOTOVSKAYA, N.I.

Activation of lipase by some growth stimulants. G. Kh. Molotkovskii and N. I. Volotovskaya. *Doklady Akad. Nauk S.S.S.R.* 70, 117-119 (1950).—*n*-Indolylacetic acid (I), *β*-naphthylbutyric acid (II), and 2,4-dichlorophenoxyacetic acid (III) were tested with the lipase of castor oil seeds. All acids were tested at 0.01 N concn. by infiltration for 20 min. at 37° or without infiltration by using 2- or 12-hr. contact periods. All acids caused stimulation of the enzyme, but most effective were I and III. Combination of I and III is poorly effective, however. The growth stimulating substances may act by activation of lipase, which cleave fatty acids from the lecithins of the plasmatic membranes, causing changes of microstructure and increased wall permeability to various nutrients. G. M. Kosolapoff

Chemovito State U.

VOLOTOVSKIY, V.A.

Chief, comrade, teacher. Put' i put.khoz. 6 no.5:17 '62.
(MIRA 15:4)

1. Zamestitel' nachal'nika Moskovsko-Kurskoy distantсии puti.
(Railroads---Employees)

VCLOTOVSKIY, V.A.

Grinding of rail scabs. Put'i put.khoz. 5 no.5:33 My '61. (MIRA 14:6)

1. Zamestitel' nachal'nika distant sii puti, st. Moskva-Kurskaya.
(Railroads--Rails)

VOLOTOVSKIY, V.A.

Our observations on continuous track. Put' i put.khoz. no.1:19
Ja '59. (MIRA 12:2)

1. Zamestitel' nachal'nika distantzii, stantsiya Moskva-Kurskaya.
(Railroads--Track)

VOLOTSENKO, P.V.; MEYSEL', A.M.; RASHKOVICH, M.P.

Braking of asynchronous motors in machine tools jointly by direct
and alternating currents. Stan.1 instr. 35 no.9:13-16 9 '64.
(MIRA 17:10)

VOLOTSSENKO, P.V., inzh.; MEYSEL', A.M., inzh.; RASHKOVICH, M.P., inzh.

Braking of asynchronous short-circuited motors. Prom. energ. 19
no.8:14-18 Ag '64. (MIRA 17:11)

Yolotskaya, S. h.

The use of hydrogen peroxide for bleaching cotton yarns

4

7
6
8

416

LFH

GRIBOYEDOV, D.N., professor; PRIDTECHENSKAYA, I.A., dotsent; VOLOTSKAYA,
S.L., inzhener; SELIVANOVA, N.P., inzhener.

The use of hydrogen peroxide for bleaching cotton fabrics of
doubled yarns. Tekst.prom. 16 no.2:36-39 F '56. (MLRA 9:5)
(Hydrogen peroxide) (Cotton finishing) (Bleaching)

Volotskaya, S. L.

Hydrogen peroxide bleaching of cotton thread. D. N.
Gritsenko, I. A. Predtechenskaya, S. L. Volotskaya, and
N. P. Selivanova. *Tekstil. Prom.* 16, No. 2, 36-38 (1965).
H₂O₂ bleaching of cotton thread is discussed in detail and
recommendations for plant process are made; cf. Stakhnev-
Kavrusova, et al., *CA*, 48, 7896g. Elizabeth Barnish

4

AUTHORS: Borovik, Ye. S. and Volotskaya, V. G. SOV/126-6-1-7/33

TITLE: Galvanomagnetic Effects in Pt at Low Temperatures
(Gal'vanomagnitnyye yavleniya v Pt pri nizkikh temperaturakh)

PERIODICAL: Fizika Metallov i Metallovedeniye, 1958, Vol 6, No 1, pp 60-66 (USSR)

ABSTRACT: The paper deals with some experimental results on the resistance and Hall effect in Pt at 4.2 - 20°K and fields up to 27 000 Oe. Pt strip produced from wire by rolling, 1.1 mm wide and 0.08 mm thick, 5.3 mm long was used, after boiling in nitric acid and annealing in vacuo at about 10^{-8} mm Hg at up to 1500°C for an hour, followed by slow cooling to 500°C. The resistance results (at zero field) are compared with theory and the results of others; certain discrepancies are revealed, but the discussion of these does not, however, form an important part of the paper, most of which is devoted to the magneto-resistance and Hall effect results given in Figs. 2-4. The various groups of carriers are discussed in some detail (Table 2); the effective mass is shown to be less than the value

Card 1/2

SOV/126-6-1-7/33

Galvanomagnetic Effects in Pt at Low Temperatures

commonly assumed (8 instead of 22); the electronic structure is also more complex. No essential difference from non-transition metals is found in the galvanomagnetic effects, but the electron mobility is much lower.

There are 5 figures, 2 tables and 13 references. 8 of which are Soviet, 3 German, 2 English.

ASSOCIATION: Fiziko-tekhnicheskiy institut AN SSSR
(Institute for Physics and Technology, Ac. Sc., USSR)

Card 2/2

1. Platinum--Electrical properties
2. Platinum--Magnetic properties
3. Platinum--Temperature factors

V. G. Volotskaya

24(0)
ATP NOR

Control, R.

208/33-67-4-7/7

2722

The Fifth All-Union Conference on the Physics of Low Temperatures (5-9 September) immediately following the 1964 conference)

PHILOSOPHICAL

Report Finchevskikh memo, 1952. Vol 67. Nr 4. pp 743-750
(7328)

Abstract

[illegible]

Card 5/10

III. Gaidarmovich, A. D. (10 lectures). I. E. Alekhis and V. S. Pechenkin (Khabarovsk Technological Institute, Khabarovsk University)

...that the most important part in connection with the above mentioned properties of metals is played by the conduction electrons. ... To ...

Alekseyevsky (27P) spoke about experiments he carried out together with Tu. P. Gajukov. He investigated the variable field at heli-

of the resistance as a function of the temperature of Au, Cu, Pt, Fe, Ni, and (together with temperature) of Ni, Fe, S. Zorovik and V. I. Kostina) of the thermoelectric properties at low

(Duff) investigated the mechanism and found that the temperatures of chromium and nickel and found that the resistance of chromium grows etc. field strength without a

tating a saturation value. At 32.5 mm the investigators investigated the resistance minimum in gold at low temperatures and found that if the sample is heated, the minimum (even) relates to the conduction

disappears. Yu. F. Gajdakov (17) saw an increase in the minimum effect (30) in the course of the discussion that the minimum effect is in the case of very pure samples the more it occurs in gold in the case of the plastic deformation.

appearance of the aluminum is explained by the presence of the sample at higher temperatures. M. T. Aboel-
mon of the sample at helium temperatures. The appearance of the
(Dorri) gave a report of his work in connection with the

quantum theory of the high-frequency recombination. M. J. RASAN presented a constant magnetic field at low temperatures. M. J. RASAN and V. K. ZUKERNIK (Khar'kov) spoke about a theoretical investigation of the thermoelectric force.

of the influence exercised by various conductors. A. I. Yerkina upon the skin effect in various conductors. A. I. Yerkina and V. A. Alexandrov (KhPI) spoke about measurements of the

electric resistance of thin-wire cathodes from magnesium, aluminum, indium and cadmium, and computed the free length of thin-wire cathodes as a function of the diameter of the cathode at 4.2°K. In these models as amounting to 1/3 to 2/3 of the length of the cathode.

Dr. J. Zedel (KCN) and P. Y. Verkin and L. F. Kiseleva (DRT) investigated the influence exerted by the hydrostatic pressure (of 1000 atmospheres absolute pressure) upon

the behavior of metals at low temperatures and investigated the quantum oscillations of the magnetic susceptibility of $\text{FeTe}_{0.9}\text{Se}_{0.1}$.¹

bleminat 100-42-2. Examination of the fact
vich (DPTI) gave a theoretical exercise considerably
afford relatively small deformation effects. IV. Karman
deformation effects in metals. IV. Karman

influence upon oscillations of the anisotropy of the antiferromagnetic moments be carried out of the anisotropy of the weak ferromagnetic moments.

isotropy in monocrystalline samples of BaCO_3 (the effect of anisotropy was predicted by Debye's theory developed by Dyalochnykh). In the course of the experiment (1967) it was also noted that the anisotropy of the BaCO_3 sample was not observed in the case of the BaCO_3 sample (1967) which was not annealed in the atmosphere of CO_2 (1967) and which was not annealed in the atmosphere of CO_2 (1967).

of the discussion is. As a consequence, the magnetic structure of $\text{BaCo}_2\text{V}_2\text{O}_{10}$ has been investigated by neutron diffraction at low temperatures. P. L.

Kaplan stressed the importance of "the theory of the dynamics of the system," whose dynamical theory, V. K. Terjes (VIL'FAR), reported on a lecture was read by A. S. Borovik-Ekmanov, reported on a

ments carried out by him (in 1944) on the synthesis of the antiferromagnetic CuSO_4 and CoSO_4 mono-crystals (see also Gerasimov) spoke about his

Card 7/11

SOV/56-36-6-5/66

24(3)

AUTHORS: Borovik, Ye. S., Volotskaya, V. G.

TITLE: Investigation of Galvanomagnetic Phenomena in Chromium at Low Temperatures (Issledovaniye gal'vanomagnitnykh yavleniy v khrome pri nizkikh temperaturakh)

PERIODICAL: Zhurnal eksperimental'noy i teoreticheskoy fiziki, 1959, Vol 36, Nr 6, pp 1650 - 1655 (USSR)

ABSTRACT: Galvanomagnetic phenomena in transition metals have hitherto not been investigated to any considerable extent within the range of strong fields, i.e. in the case of a considerable increase of resistance in the magnetic field. The variation of resistance in molybdenum and tungsten (Refs 1,2) as well as in platinum, and the Hall effect in platinum (Ref 3) has already been investigated. In the present paper the authors deal with investigations of the Hall effect and the variation of resistance in chromium in magnetic fields of up to 27000 Oe within the temperature range of from 4.2 - 78°K, as well as with some earlier investigations of zirconium. The samples were obtained by means of vacuum distillation and were needle-shaped (diameter 0.35 mm, length 8 mm). Measurements of the temperature dependence

Card 1/3

Investigation of Galvanomagnetic Phenomena in
Chromium at Low Temperatures

SOV/56-36-6-5/66

of the resistance of these samples (without field) are given by table 1. In the course of investigations of galvanometric properties, the direction of current coincided with the longitudinal axis of the sample, and the magnetic field was perpendicular to it. The anisotropy of resistance variation in the magnetic field amounted to 4% as a maximum. The diagram in figure 1 shows the course of the resistance variation in the magnetic field; at helium temperatures the resistance shows a practically linear increase with growing field strength. Within the range of 10 to 27 kOe the resistance increases to about three times its amount. Figure 2 shows the dependence of the Hall constant R on H at 78° (very slight, practically linear decrease with increasing H) and at 4.2° (exponential decrease to about 5 kOe, and then linear decrease to 27 kOe). The nearly field-independent value at nitrogen temperature ($R = 3.4 \cdot 10^{-3}$ CGSU) differs only little from the value at room temperature (3.6). In the following the results obtained are discussed and partly compared with those obtained for platinum. For the purpose of explaining experimental results, a model is chosen which is characterized by four groups of mobile charges: 2 groups of

Card 2/3

Investigation of Galvanomagnetic Phenomena in
Chromium at Low Temperatures

SO7/56-36-6-5/66

electrons with the concentrations n_2 and n_4 , and 2 groups of holes with the concentrations n_1 and n_3 . By means of this theory, the mobilities and concentrations of electrons are calculated on the basis of measurement data (Table 2). The theoretical and experimental values (Hall field and resistance variation with H) are compared (Fig 4); agreement is found to be good. Further numerical data for Cr, Pt, and Zn are given in table 3 for $T = 4.22^\circ\text{K}$ and $T = 0$. In the case of chromium (as well as in that of platinum) no direct influence of magnetization could be found. According to reference 9, chromium would go over into the antiferromagnetic state at $T < 475^\circ\text{K}$, which would, however, cause the occurrence of an anomaly in weak fields, which could not be experimentally determined. The authors thank B. G. Lazarev for his interest in this investigation. There are 4 figures, 3 tables, and 9 references, 4 of which are Soviet.

ASSOCIATION: Fiziko-tekhnicheskiy institut Akademii nauk Ukrainskoy SSR
(Physico-technical Institute of the Academy of Sciences, Ukrainskaya SSR)

SUBMITTED: December 22, 1958
Card 3/3

BOROVIK, Ye.S.; VOLOTSKAYA, V.G.

Galvanomagnetic phenomena in indium and aluminium. Zhur. eksp. i
teor. fiz. 38 no.1:261-262 Jan '60. (MIRA 14:9)

1. Fiziko-tekhnicheskiy institut AN Ukrainskoy SSR.
(Indium--Magnetic properties) (Aluminum--Magnetic properties)

L 16906-63

Pz-4 AT/JD

ACCESSION NR: AP3005241

EWI(1)/EWG(k)/EWP(q)/EWT(m)/BDS/EEG(b)-2 AFFTC/ASD/IJP(C)

S/0056/63/045/002/0046/0048

AUTHOR: Borovik, Ye. S.; Volotskaya, V. G.; Fogel', N. Ya.

68

TITLE: Deviations from Kohler's rule in pure aluminum

SOURCE: Zhur. eksp. i teoret. fiz., v. 45, no. 2, 1963, 46-48

TOPIC TAGS: aluminum, purity, magnetoresistance, Kohler's rule

ABSTRACT: The dependence of the resistance on the magnetic field was investigated for very pure aluminum samples at 20.4°K. The purpose was to check whether Kohler's rule is valid when $R_{273}/R_{4.2}$ exceeds 2000. A noticeable deviation from Kohler's rule is noted for high-purity aluminum sample, and it is pointed out that both the behavior of the resistance in the magnetic field and the temperature dependence of this resistance are anomalous, for reasons that are not clear as yet. Orig. art. has 1 figure.

ASSOCIATION: Fiziko-tekhnicheskii institut Akademii nauk Ukrainiskoy SSR (Physicotechnical Institute, Acad. Sci. Ukrainian SSR)

SUBMITTED: 15Feb63

DATE ACQ: 06Sep63

ENCL: 00

SUB CODE: PH

NO REF SOV: 005

OTHER: 001

Card 1/1

and B. S. Chandrasekhar, Phys. Rev. v. 125, 1952, 1962) that indium has a closed Fermi surface. The dependence of the resistance on the magnetic field was also checked for various orientations of the field with respect to the crystallographic axes. At 20.4°K the resistance was found to be practically isotropic and the maximum relative increase of the resistance in a 35000 Oe field was $\Delta R/R = 0.16$. This is in agreement with the law of Kohler and the fact that the same law describes the dependence of the resistance on the magnetic field for different directions of this field confirm that the Fermi surface of indium is

Card 1/42

L 15527-63

ACCESSION NR: AP3005242

2

closed. "The author thanks Ye. S. Borovik for his interest in this work and for discussing the results." Orig. art. has 4 figures.

ASSOCIATION: Fiziko-tekhnicheskii institut Akademii nauk Ukrainsskoy SSR (Physico-technical Institute, Acad. Sci. UkrSSR)

SUBMITTED: 1 Feb 63

DATE ACQ: 06 Sep 63

ENCL: 02

SUB CODE: PH

NO REF SOV: 005

OTHER: 000

Card

2/12

L 39746-66 EWT(m)/T/EWP(t) IJP(c) GD-2/JD
ACC NR: AP6005286 (N) SOURCE CODE: UR/0413/66/000/001/0030/0030

INVENTOR: Borovik, Ye. S.; Mamedov, M. Sh.; Volotskaya, V. G. 14
B

ORG: none 18 16

TITLE: Treatment of metallic parts. Class 18, No. 177443 [announced
by the Physicotechnical Institute AN UkrSSR (Fizikotekhnicheskiiy
institut AN USSR)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki,
no. 1, 1966, 30

TOPIC TAGS: metal property, metal, heat treatment, cold treatment

ABSTRACT: An Author Certificate has been issued describing a method
for treating metal parts, including cold treatment and heating to room
temperature. To increase the strength and life of the parts, they are
subjected to pulse loading with electric current in a constant magnetic
field at below-zero temperatures, for example, at 20K. [LD]

SUB CODE: 11/ SUBM DATE: 20Jun64/

Card 1/1 145

UDC: 621.785.92
621.789

BOROVIK, Ye.S.; VOLOTSKAYA, V.G.

Anisotropy of the galvanomagnetic properties of pure aluminum
in strong effective fields. Zhur. eksp. i teor. fiz. 48 no.6:
1554-1561 Je '65. (MIRA 18:1)

1. Fiziko-tekhnicheskiy institut AN UkrSSR.

L 61721-65 EWA(h)/EWT(1)/EET(m)/EWP(b)/T/EWA(d)/E.P(w)/EWP(t) Ps-l/Peb IJP(c)

JD

ACCESSION NR: AP5016545

UR/0056/65/048/006/1554/1561

AUTHOR: Borovik, Ye. S.; Volotskaya, V. G.

TITLE: Anisotropy of the galvanomagnetic properties of pure aluminum in strong effective fields

SOURCE: Zhurnal eksperimental'noy i teoreticheskoy fiziki, v. 48, no. 6, 1965, 1554-1561

TOPIC TAGS: galvanomagnetic property, magnetoresistance, aluminum, low temperature research, purity effect, magnetic field effect, Fermi surface

ABSTRACT: This is a continuation of an earlier investigation of the galvanomagnetic properties of aluminum (ZhETF v. 44, 80, 1963), except that the purity of the aluminum was greatly increased ($R_{272}/R_{42} = 6400--20,000$). The measurements were made at 4.2K. The earlier study of the anomalous behavior of the resistivity of pure aluminum as compared with more contaminated aluminum (ZhETF v. 45, 46, 1963) is repeated at a lower test temperature (4.2K). The samples were made from aluminum purified by zone melting. Since the resistance remained practically unchanged below 4.2K, it can be assumed that the resistance at 4.2K is the residual resistance and characterizes the purity of the sample. The results show that the magnetoresistance of aluminum of very high purity increases with the magnetic field at all

Card 1/2

L 61721-65

ACCESSION NR: AP5016545

investigated directions of the magnetic field. A check was made to see whether this increase can be attributed to some side effects occurring in the aluminum with increasing purity (bending of the current line, size effect, static skin effect), but it is concluded that none of these side effects can cause the large anisotropy and the growth of the resistance with magnetic field. The results are interpreted by assuming the existence of a narrow layer of open trajectories in the Fermi surface of aluminum. "The authors thank M. I. Kaganov for a discussion of the results and valuable advice." Orig. art. has: 5 figures, 1 formula, and 1 table.

ASSOCIATION: Fiziko-tehnicheskii institut Akademii nauk Ukrainiskoy SSR (Physico-technical Institute, Academy of Sciences, Ukrainian SSR)

SUBMITTED: 25Dec64

ENCL: 00

SUB CODE: 88

NR REF SOV: 011

OTHER: 006

Card ^{MC} 2/2

L 57814-65 EPR/EWP(k)/EWT(m)/EWP(b)/T/ENA(d)/EWP(w)/EWP(t) Ps-4
IJP(c) JD

ACCESSION NR: AP5008793

S/0126/65/019/003/0451/0455
539.4.019.1

AUTHOR: Borovik, Ye. S.; Mamedov, M. Sh.; Volotskaya, V. G.

TITLE: Pulse strength of metals

SOURCE: Fizika metallov i metallovedeniye, v. 19, no. 3, 1965, 451-455

TOPIC TAGS: metal mechanical property copper alloy aluminum alloy metal wire

ABSTRACT: The strength of a copper and aluminum wire was studied under current pulses of $\tau = 0.8 \times 10^{-4}$ and 2×10^{-3} sec duration and at temperatures of 293, 77 and 20°K. Coils of the wire were positioned between the poles of a magnet; upon passing current through the circular coil, the plane of which was perpendicular to the field, radial forces appeared which stretched the coil. Under single pulse loadings of 0.8×10^{-4} sec duration the strength of the aluminum and copper wire was about two times higher than the static strength and at $\tau = 2 \times 10^{-3}$ sec the strength of the copper wire was about the same as the static strength. Under multipulse loading the strength was less by a factor of approximately 1.7 when compared with static values, and was equal for both pulse durations. A graph is given which shows the

Card 1/2

L 57814-65

ACCESSION NR: AP5008793

relationship between the destructive load and the rate of plastic deformation.

Orig. art. has: 4 figures, 3 tables.

ASSOCIATION: Fiziko-tehnicheskij institut AN UkrSSR (Physicotechnical Institute,
AN UkrSSR)

SUBMITTED: 13Jan64

ENCL: 00

SUB CODE: MM, EM

NO REF SOV: 004

OTHER: 004

lyp
Card 2/2

BAKHTIN, P.U., kand. sel'skokhoz. nauk; VOLOTSKAYA, V.I.; NIKOLAYEVA, I.N.

Friction coefficient of the sliding of soil over metal for basic
soil types in the U.S.S.R. Trakt.i sel'khoz mash. no.6:31-33
Je'64 (MIRA 17:7)

BAKHTIN, P.U.; NIKOLAYEVA, I.N.; VOLOTSKAYA, V.I.

Shear strength, the coefficient of friction, and the cohesion of
dark Chestnut soils and southern Chernozem soils. Pochvovedenie
no.11:68-78 N '63. (MIRA 16:12)

1. Pochvennyy institut imeni V.V. Dokuchayeva.

VOLOTSKAYA, V.V.

Studying the absorptive power of amino cellulose. Trudy LGTUBP
no.13:163-166 '64. (MIRA 18.2)

BAKHTIN, P.U.; VOLOTSKAYA, V.I.

Specific resistance of gray forest soils to plowing on the "Pakhomovo"
State Farm in Tula Province. Pochvovedenie no.4:68-77 Ap '61.
(MIRA 14:6)

1. Pochvennyy institut imeni V.V.Dokuchayeva AN SSSR.
(Tula Province—Soil physics) (Plowing)

VOLOTSKAYA, Ye.L.; TARASOV, I.A., red.; ZHURAVLEV, B.A., red. izd-va,;
BACHURINA, A.M., tekhn. red.

[Cable crib holding boom; "Lumber Industry and Forestry" pavilion]
Lezhnevo-setchataia zapan'; pavil'on "lesnaia promyshlennost' i
lesnoe khoziaistvo." [Moskva] M-vo lesnoi promyshl. SSSR [1957] 6 p.
(MIRA 11:11)

1. Moscow. Vsesoyuznaya promyshlennaya vystavka.
(Lumber--Transportation)

VOLOTSKAYA, Z. M. (Moscow)

"Synthesis of the Forms of the Russian Verb in Machine Translation."

Theses - Conference on Machine Translations, 15-21 May 1958, Moscow.

VOLOTSKAYA, Z. M., PADUCHEVA, Ye. V., SHELIMOVA, I. N., and SHUMILINA, A. L. (Moscow)

""(Sintagmy) of the Russian Language."

Theses - Conference on Machine Translations, 15-21 May 1958, Moscow.

VOLOTSKAYA, Z. M. and SHUMILINA, A. L. (Moscow)

"Concerning the Question of the Synthesis of the Russian Sentence."

Theses - Conference on Machine Translations, 15-21 May 1958, Moscow.

Volotskaya, Z. M.

One of the methods of describing word combinations of standardized
Russian language
Vypusk 5, Moscow, 1961, 24p

Paper read at the Moscow Conference on information processing, machine translation and automatic text reading, January, 1961.

VOLOTSKAYA, Z.M.

- Generation of forms in the synthesis of Russian words. Soob.
Otd.mekh.i avtom.inform.rab. no.2:169-194 '61. (MIRA 15:2)
(Machine translating)
(Russian language)

VOLOTSKAYA, Z.M.; SHELIMOVA, I.N.; SHUMILINA, A.L.

Some quantitative data regarding the forms of nouns and verbs
of the Russian language, using materials taken from mathematical
texts. Soob. Otd.mekh.i avtom.inform.rab. no.2:254-261 '61.
(MIRA 15:2)

(Programming languages (Electronic computers))
(Russian language)

VOLOTSKAYA, Z.M.; SHUMILINA, A.L.

Analysis and reasibility of simplifying the structure of language
texts in connection with the construction of an informational
machine. Soob. Otd.mekh.i avtom.inform.rab. no.2:243-253 '61.
(MIRA 15:2)

(Programming languages (Electronic computers))

VOLOTSKAYA, Z.M.

Problems of word ~~formation~~ in machine translating. Soob.
Otd.mekh.i avtom.inform.rab. no.2:195-209 '61. (MIRA 15:2)
(Machine translating)

VOLOTSKAYA, Z.M.; SHUMILINA, A.L.

Synthesis of a simple Russian sentences. Soob. Otd.mekh.i avtom.
inform.rab. no.2:166-168 '61. (MIRA 15:2)

(Machine translating)
(Russian language)

VOLOTSKIY, Nikolay Ivanovich; LIBER, I.S., inzhener, redaktor; KAPLAN, M.Ya.,
redaktor; FUZ'KINA, Ye.A., tekhnicheskii redaktor

[Innovation in work on the installation of a gas supply system for
the heating of buildings; experience of Leningrad innovators] Novoe
v rabotakh po ustroystvu sistem gasosnabzheniya i otopleniya zdaniy;
iz opyta leningradskikh novatorov. Leningrad, Gos.izd-vo lit-ry po
stroitel'stvu i arkhitekture, 1955. 39 p. (MIRA 9:3)
(Gas--Heating and cooking)

VOLOTOVSKIY, D.

Butter

Line method of analyzing moisture content of butter. D. Volotovskiy. Mol. prom.
13 No. 6 1952.

Monthly List of Russian Accessions. Library of Congress, September 1952. UNCLASSIFIED.

12

CC

Rapid determination of moisture in butter. - In Volodovskii. *Molekulno-Massovoi'nyi* *Prilozh.* 5, No. 5, 12-14 (1938); *Khimie & industrii* 42, 100. - Improvements in the usual app. are indicated which considerably reduce the time required for each detn. Artificial cooling of the Al dishes contg. the sample after examn. of the moisture, is particularly effective from this standpoint. A. P. C.

ASB-3A DETAILING LITERATURE CLASSIFICATION

GROUP 01

GROUP 02

GROUP 03

GROUP 04

GROUP 05

GROUP 06

GROUP 07

GROUP 08

GROUP 09

GROUP 10

GROUP 11

GROUP 12

GROUP 13

GROUP 14

GROUP 15

GROUP 16

GROUP 17

GROUP 18

GROUP 19

GROUP 20

GROUP 21

GROUP 22

GROUP 23

GROUP 24

GROUP 25

GROUP 26

GROUP 27

GROUP 28

GROUP 29

GROUP 30

GROUP 31

GROUP 32

GROUP 33

GROUP 34

GROUP 35

GROUP 36

GROUP 37

GROUP 38

GROUP 39

GROUP 40

GROUP 41

GROUP 42

GROUP 43

GROUP 44

GROUP 45

GROUP 46

GROUP 47

GROUP 48

GROUP 49

GROUP 50

GROUP 51

GROUP 52

GROUP 53

GROUP 54

GROUP 55

GROUP 56

GROUP 57

GROUP 58

GROUP 59

GROUP 60

GROUP 61

GROUP 62

GROUP 63

GROUP 64

GROUP 65

GROUP 66

GROUP 67

GROUP 68

GROUP 69

GROUP 70

GROUP 71

GROUP 72

GROUP 73

GROUP 74

GROUP 75

GROUP 76

GROUP 77

GROUP 78

GROUP 79

GROUP 80

GROUP 81

GROUP 82

GROUP 83

GROUP 84

GROUP 85

GROUP 86

GROUP 87

GROUP 88

GROUP 89

GROUP 90

GROUP 91

GROUP 92

GROUP 93

GROUP 94

GROUP 95

GROUP 96

GROUP 97

GROUP 98

GROUP 99

GROUP 100

13

CA

Rapid determination of moisture in casein. D. Volotovskii. *Molochno-Masloel'naya Prom.* 5, No. 4, 8-10 (1938); *Chimie & industrie* 42, 359. — The powder sample is heated in an Al dish over an alc. lamp in a nouaq. medium consisting of paraffin or ceresin to protect the casein against overheating. A. Pajneau-Couture

ASTM-SLA METALLURGICAL LITERATURE CLASSIFICATION

VOLOTOVSKIY, D.P.

~~Indication paper for determination of freshness of milk. Gig. sanit.,~~

Indication paper for determination of freshness of milk. Gig. sanit.,
Moskva no.2:51-52 Feb 52. (CML 21:5)

VOLOTOVSKIY, D.P.

Indicators and Test Papers

Test paper for the determination of the freshness of milk. Gig. i san., No. 2, 1952.

Monthly List of Russian Accessions, Library of Congress, June 1952. Unclassified.

VOLOTOVSKIY, D.P.

Milk - Composition

Test paper for the determination of the freshness of milk. Gig. 1 san., No. 2, 1952.

Monthly List of Russian Accessions, Library of Congress, June 1952. Unclassified.

24.7600

45362

S/056/63/044/001/016/067
B100/B100

AUTHOR: Volotskaya, V. G.

TITLE: Anisotropy of the galvanomagnetic properties of aluminum in strong effective fields

PERIODICAL: Zhurnal eksperimental'noy i teoreticheskoy fiziki, v. 44, no. 1, 1963, 80 - 83

TEXT: The anisotropy of the electrical resistivity and Hall field of aluminum single crystals of various orientations was studied at 4.2°K in fields of up to 27,000 oe. The Hall constant was calculated from measurements of Hall effect on polycrystalline plates. The anisotropy of the electrical resistivity in a magnetic field is not more than 40 %. The Hall field is isotropic. The change in resistivity with magnetic field strength is independent of the direction of the field. These results indicate that there is a closed Fermi surface in aluminum. The concentration of holes per aluminum atom was determined from the Hall effect measurements: $n/N_a = 0.98 \pm 0.03$, where N_a is the number of atoms per unit volume. The results of this investigation agree only in first

Card 1/2

Anisotropy of the galvanomagnetic ...

S/056/63/044/001/016/067.
B106/B180

approximation with Harrison's model (Phys. Rev., 118, 1182, 1960).
There are 4 figures and 1 table.

ASSOCIATION: Fiziko-tekhnicheskiy institut Akademii nauk Ukrainskoy SSR
(Physicotechnical Institute of the Academy of Sciences
Ukrainskaya SSR) ✓

SUBMITTED: July 27, 1962

Card 2/2

DEVYATKOV, Aleksandr Fedorovich; VOLOTSKIY, N.P.; PISKUNOV, S.A.; SHATS,
Ye.L.; KRYUKOV, V.L., red.; BALLOD, A.I., tekhn.red.; GOR'KOVA,
Z.D., tekhn.red.

[Repair of electric machines and transformers] Remont elektricheskikh mashin i transformatorov. Moskva, Gos.izd-vo sel'khoz. lit-ry, 1960. 270 p. (MIRA 13:11)
(Electric machinery--Maintenance and repair)

A-1


BC

Processes and procedures index

Potassium and other salts of nitro-
naphthalene sulfonic acid; and the application of
the union of this acid to the determination of
potassium ions. R. P. YEROSHNEVA (J. Appl.
Chem. Russ., 1958, 31, 525-573). The solubility
of 1:5:8:7- NO_2 , $\text{C}_{10}\text{H}_5\text{O}_2\text{S}$, K rises from
0.0073% at 0° to 0.008% at 55° and that of the Ca
salt from 1.26% at 10° to 11.71% at 55°. The K
salt is readily sol. in aqueous solutions, less so in
acid ones. Substitutes of the Ca and K salts give precipitates
with a no. of cations, substitution of the OH -H
taking place. K is determined by heating the ppt.
of K salt with H_2SO_4 and weighing the residue of
 K_2SO_4 ; this method is inapplicable in presence of
 Ba , Pb , Li , Cu^{2+} , Mn^{2+} , Co^{2+} , or Fe^{3+} or in presence of
oxidizable species of Na , Mg , Mn^{2+} , Pb^{2+} , No , or
 ClO_2 . R. T.

ASAC SLA METALLURGICAL LITERATURE CLASSIFICATION

GROUP	CLASS	SUBCLASS	SECTION	DATE	REMARKS
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9
10	10	10	10	10	10
11	11	11	11	11	11
12	12	12	12	12	12
13	13	13	13	13	13
14	14	14	14	14	14
15	15	15	15	15	15
16	16	16	16	16	16
17	17	17	17	17	17
18	18	18	18	18	18
19	19	19	19	19	19
20	20	20	20	20	20
21	21	21	21	21	21
22	22	22	22	22	22
23	23	23	23	23	23
24	24	24	24	24	24
25	25	25	25	25	25
26	26	26	26	26	26
27	27	27	27	27	27
28	28	28	28	28	28
29	29	29	29	29	29
30	30	30	30	30	30
31	31	31	31	31	31
32	32	32	32	32	32
33	33	33	33	33	33
34	34	34	34	34	34
35	35	35	35	35	35
36	36	36	36	36	36
37	37	37	37	37	37
38	38	38	38	38	38
39	39	39	39	39	39
40	40	40	40	40	40
41	41	41	41	41	41
42	42	42	42	42	42
43	43	43	43	43	43
44	44	44	44	44	44
45	45	45	45	45	45
46	46	46	46	46	46
47	47	47	47	47	47
48	48	48	48	48	48
49	49	49	49	49	49
50	50	50	50	50	50
51	51	51	51	51	51
52	52	52	52	52	52
53	53	53	53	53	53
54	54	54	54	54	54
55	55	55	55	55	55
56	56	56	56	56	56
57	57	57	57	57	57
58	58	58	58	58	58
59	59	59	59	59	59
60	60	60	60	60	60
61	61	61	61	61	61
62	62	62	62	62	62
63	63	63	63	63	63
64	64	64	64	64	64
65	65	65	65	65	65
66	66	66	66	66	66
67	67	67	67	67	67
68	68	68	68	68	68
69	69	69	69	69	69
70	70	70	70	70	70
71	71	71	71	71	71
72	72	72	72	72	72
73	73	73	73	73	73
74	74	74	74	74	74
75	75	75	75	75	75
76	76	76	76	76	76
77	77	77	77	77	77
78	78	78	78	78	78
79	79	79	79	79	79
80	80	80	80	80	80
81	81	81	81	81	81
82	82	82	82	82	82
83	83	83	83	83	83
84	84	84	84	84	84
85	85	85	85	85	85
86	86	86	86	86	86
87	87	87	87	87	87
88	88	88	88	88	88
89	89	89	89	89	89
90	90	90	90	90	90
91	91	91	91	91	91
92	92	92	92	92	92
93	93	93	93	93	93
94	94	94	94	94	94
95	95	95	95	95	95
96	96	96	96	96	96
97	97	97	97	97	97
98	98	98	98	98	98
99	99	99	99	99	99
100	100	100	100	100	100



VOLOTSKIY, N.V., kand. tekhn. nauk.

~~Artificial school lighting abroad.~~ Svetotekhnika 4 no.9:29-32 S '58.
(School houses—Lighting) (MIRA 11:8)

VOLOTSKIY, N.V.

Volotskiy, N. V. Zolber, D. A. and Knor Ing. G. M.
Lyuminescentnoe izvesteniye o radionuklidakh
Moscow: Gosenergoizdat. 1955

Sif.
my

3

GOLLAND, Meylekh Isayevich; VOLOTSKIY, N.V., kand. tekhn. nauk,
retsenzent; LAZAREV, D.N., kand. tekhn. nauk, retsenzent;
BERGMAN, P.Ya., red.; SOBOLEVA, Ye.M., tekhn. red.

[Equipment for luminescence analysis] Apparatura dlia lumines-
tsentnogo analiza. Moskva, Gos.energ.izd-vo, 1961. 127 p.
(MIRA 15:1)

(Luminescence) (Chemistry, Analytical)

SHABLINSKIY, Vladimir Varfolomeyevich; VOLOTSKOV, S.I., red.;
BORUNOV, N.I., tekhn. red.

[Draining peat bogs and regulating water intake] Osushe-
nie torfianykh mostorozhdenii i regulirovanie vodopriem-
nikov. Moskva, Gosenergoizdat, 1963. 231 p.
(MIRA 17:4)

VOLOTSKOY, D.V., inzh. (Kazan')

Use of silicon organic compounds for the control of heaving. Zhel.dor.
transp. 45 no.2:75-76 F '63. (MIRA 16:2)
(Railroads—Track) (Silicon organic compounds)

VOLOTSKOY, D.V., dotsent

Applying chemical methods for the elimination of heaving. Put' i
put.khoz. 5 no.8:10-11 Ag '61. (MIRA 14:10)

1. Inzhenerno-stroitel'nyy institut, Kazan'.
(Soil stabilization) (Silicon organic compounds)

VOLOTSKOY, N.V.

Remarks on the work of the Leningrad Institute of Economic
Research and the Leningrad Scientific Technological Society
of the Power Industry. Trudy LIEI no.41:28-31 '62.

(MIRA 17:6)

1. Gosudarstvennyy proyektnyy institut "Lenproyek.."

VOLOTSKOI, M.

"The Wrist of the Fossil Man from the Grotto Kiik-Koba." (p. 254) by Bonch, G. A., Osmolovsky, and Volotskoi, M.

SO: Advances in Modern Biology (Uspekhi Sovremennoi Biologii) Vol. XV, No. 2, 1942.

SHCHAPTEV, N.F., inzh.; VOLOTSKOV, S.I., red.; LARIONOV, G.Ye., tekhn. red.

[Mechanization of heavy operations at small and middle-sized
peat enterprises] Mekhanizatsiia trudoemkikh rabot na torfo-
predpriyatiakh maloi i srednei moshchnosti. Moskva, Gos. energ.
izd-vo, 1958. 70 p.

(Peat machinery)

(MIRA 11:12)

MIKUL'SHIN, N.M., SIDYAKIN, S.A.; VOLOTSKOV, S.I., red.; LARIONOV, G.Ye.,
tekhn. red.

[Manual on records for fuel peat] Rukovodstvo po uchetu
toplivnogo torfa. Moskva, Gos. energ. izd-vo, 1958. 191 p.

(MIRA 11:11)

(Peat)

SEMENSKIY, Yevgeniy Petrovich; VOLOTSKOV, S.I., red.; VORONIN, K.P., tekhn.
red.

[Analysis of peat] Tekhnicheskii analiz torfa. Moskva, Gos. energ.
izd-vo, 1958. 191 p.

(MIRA 11:7)

(Peat—Analysis)

VOLOTSKOY, A.N., inzh.; DIVNOGORTSEV, G.P., inzh.

Synthetic telephoning. Avtom., telem. i svyaz' 4 no. 2:11-15 P '60.
(Telephone) (MIRA 13:6)

VOLOTSKOY, A

N

N/5
753.41
.D2

Ruchnyye i Avtomaticheskiye Telefonnyye Stantsii (Hand-Operated and Automatic Telephone Stations, by) V. M. Davydovskiy i A. N. Volotskoy. Moskva, Transzheldorizdat, 1951.

491 p. Illus., Diagr., Tables.
("Telefoniya", Vol. 1)